

SOFFIT-SHIELD™

EXTERIOR SOFFIT & FASCIA CLADDING

GORDON
INCORPORATED



SOFFIT-SHIELD™

EXTERIOR SOFFIT & FASCIA CLADDING

High winds, torrential rains and high speed projectiles wreak havoc and potentially breach exterior systems that are not engineered for such conditions. Buildings in coastal areas exposed to hurricane activity, as well as inland areas where tornadoes are prominent, require products that are engineered and designed to withstand the forces of extreme weather.

Gordon SOFFIT-SHIELD™ is the fascia and soffit solution to protect vertical and horizontal exterior building surfaces at times of devastating environmental events.

DESIGN ELEMENTS

- Design Load Performance
- Meets the applicable requirements of Florida Building Code Test Protocols for design loads of +/- 125 psf
 - Large and Small Missile Impact Resistant
 - Hurricane Resistant up to Category 5
 - Tornado Resistant up to F4 (≤ 222 MPH)
- Designed to maintain building integrity
- Sleek and Stable
- Suitable for transportation, office buildings, civic centers, hospitality, cultural centers, and retail applications
- Panel Sizes:
 - Width - Up to 30"
 - Length - Up to 96"
- Optional extruded aluminum reveals at transitions
- Optional venting of material available
- Interlocking tabs allow individual panel removal
- Exposed surface: Aluminum or Stainless Steel
- Aluminum finish is dependent upon application and UV exposure. See back cover for available finishes.





Miami-Dade County, Florida Approved

Notice of Acceptance
N.O.A. No. 13-0813.24
Expiration Date: August 14, 2018
Patent No.: 8,166,728 B1



SOFFIT-SHIELD™ DETAILS





INTERCONTINENTAL HOTEL
Atlanta, GA

FINISHES

- Powder Coat - Durable Painted Finishes
 - Standard Finishes
 - ACROGUARD® Enhanced Durability Finishes
 - ACROGUARD® Patinaed Finishes
 - ACROGUARD®-UVX
 - ACROSTAT™ Antimicrobial
 - Metallic
- Greenwood™ Wood Grain Paints & Films
- PVDF
 - 50% Resin Based Coatings
 - 70% High Performance Resin Based Coatings
- Mechanical & Textured Stainless Steel
- Class 1 Anodize

GREEN BY DESIGN

- Products contribute to LEED®¹ certification
- Aluminum Extrusions - 38.1% recycled
 - 29.4% pre-consumer content
 - 8.7% post-consumer content
- Aluminum Coil - 28% recycled
 - 22% pre-consumer content
 - 6% post-consumer content
- Steel Coil - 66.1% recycled
 - 11.2% pre-consumer content
 - 54.8% post-consumer content
- In-House Finishes
 - Biodegradable pre-treatment (No phosphates)
 - No hazardous waste
 - No VOCs
 - No heavy metals
- Reference our sustainable products brochure and website for more information. Recycled content values are subject to change. Contact us for accurate values or job specific requirements.

GORDON[®]
INCORPORATED

5023 HAZEL JONES ROAD, BOSSIER CITY, LA 71111
800.747.8954
800.877.8746 FAX
SALES@GORDON-INC.COM
GORDON-INC.COM
AN EMPLOYEE OWNED COMPANY

¹ LEED is a registered trademark of the U.S. Green Building Council.

