
GOH

BEAM MATE SYSTEMS






BEAM MATE


Beam Mate suspension systems provide visual definition within open plenum spaces without interruption to fire protection and HVAC devices.

DESIGN ELEMENTS


- Extruded aluminum ensures crisp, consistently straight appearance compared to roll-formed products
- Module sizes per your specification provides flexibility for your design
- Installs easily like most suspension systems.
- Incorporate lay-in perforated metal or acrylic panels for a decorative effect
- Multiple perimeter options
- Track lighting available
- Factory finished
- Corners are factory mitered and welded
- Custom beam profiles can be created

STANDARD PROFILES















LIGHT BEAM

DETAILS


- Extruded aluminum profiles ensure crisp, consistently straight appearance compared to roll-formed products
- Profiles available for direct or indirect lighting
- LB-2X4R is a factory UL lighted system with optional accesible panels
- Optional perimeter, panels, and end caps available



LB-2X4 WITH SNAP IN REVEAL & CONTURA PERIMETER TRIM








BEAM MATE

TRIMS

Pictured at right and bottom photo, Contura perimeter trim provides a handsome edge detail for a floating Beam Mate installation.


Shown below, Contura with a curved channel provides a finished beam appearance.












BOLD BEAM




DESIGN ELEMENTS

- Formed from Aluminum and Stainless Steel
- Typical Beam Sizes:


 - o 5" wide x 5" (or less) high
 o 6" wide x 8" (or less) high
 o 8" wide x 8" (or less) high
 o 10" wide x 10" (or less) high
 o 12" wide x 12" (or less) high

 - ° Call us for custom sizes
- Multiple sizes can be included in one system
- Finishes: Painted and Mechanical
- Adjustable hanger location
- Penetrations in beam face
 - Sprinklers
 - Air Slots
 - Perforations
 - Lighting

8











BEAM MATE









FINISHES

- Powder Coats
 - ° Standard
 - ACROGUARD[®] Enhanced Durability
 - ACROGUARD® Textured
 - ACROGUARD®-UVX Durable Exterior
- ACROSTAT[™] Antimicrobial Acrylic Water Base "Wet" Paints
 - - ° Standard
 - ^o Custom Matched
 - ° Textured
- GreenWood[™] Wood Grain Films
 - ° Interior
 - º Exterior
- PVDF
 - ° 50% Resin Based Coatings
 - º 70% High Performance Resin Based Coatings

GREEN BY DESIGN

- Products contribute to LEED®1 certification
- Aluminum Extrusions 38.1% recycled
 - ° 29.4% pre-consumer content
 - 8.7% post-consumer content
- Aluminum Coil 28% recycled
 - º 22% pre-consumer content
 - 6% post-consumer content
- In-House Finishes
 - ^o Biodegradable pre-treatment (No phosphates)
 - ° No hazardous waste
 - ° No VOCs
 - ^o No heavy metals
- Reference our sustainable products brochure and website for more information. Recycled content values are subject to change. Contact us for accurate values or job specific requirements.



5023 HAZEL JONES ROAD, BOSSIER CITY, LA 71111 800.747.8954 800.877.8746 FAX SALES@GORDON-INC.COM GORDON-INC.COM AN EMPLOYEE OWNED COMPANY

