





WALLS / CLADDINGS CORRUGATED - PANELS - CURVED ISOMETRIC VIEW





NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:


LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"

NOMINAL DIMENSIONS	
LAPPED WIDTH PANEL WIDTH	
40 3/4"	41 1/2"
51 1/4"	52"

AVAILABLE MATERIAL		
ALUMINUM	STEEL	
.032"	24 GAUGE	
	26 GAUGE	



WALLS / CLADDINGS CORRUGATED - PANELS - CURVED PATTERN "A" PANELS



NOMINAL DIMENSIONS		
LAPPED WIDTH PANEL WIDTH		
42 3/4"	44 3/4"	
54 3/4"	55 3/4"	


AVAILABLE MATERIAL		
ALUMINUM	STEEL	
.032"	22 GAUGE	
	24 GAUGE	
	26 GAUGE	

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - CURVED PATTERN "B" PANELS



NOMINAL DIMENSIONS	
LAPPED WIDTH	PANEL WIDTH
40 3/8"	42"
51 5/8"	52 3/4"

## **ALUMINUM**

.032" ALUMINUM MAXIMUM LENGTH: 144" .063" ALUMINUM MAXIMUM LENGTH: 120"

## STEEL

MAXIMUM LENGTH: 144"


AVAILABLE MATERIAL		
ALUMINUM	STEEL	
.032"	22 GAUGE	
.063"	24 GAUGE	
	26 GAUGE	

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - CURVED PATTERN "C" PANELS



NOMINAL DIMENSIONS	
LAPPED WIDTH PANEL WIDTH	
47 1/2"	49 1/2"
38 5/8"	39 1/2"

AVAILABLE MATERIAL		
ALUMINUM STEEL		
.032"	1	22 GAUGE
		24 GAUGE
		26 GAUGE


ALUMINUM / STEEL
MAXIMUM LENGTH: 120"

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - CURVED PATTERN "D" PANEL



MAXIMUM LENGTH: 120"

NOMINAL DIMENSIONS	
LAPPED WIDTH	PANEL WIDTH
53 3/4"	54 3/4"

1/2" NOMINAL	4 1/8" NOMINAL FACE	\ <b>\</b>
•	LAPPED WIDTH	
-	PANEL WIDTH	-
	EI - ALUMINUM / STEEL	

MAXIMUM LENGTH: 120"


AVAILABLE MATERIAL		
ALUMINUM STEEL		
.032"	24 GAUGE	
	26 GAUGE	

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - CURVED PATTERN "E" PANELS



MAXIMUM LENGTH: 144"

NOMINAL DIMENSIONS		
LAPPED WIDTH PANEL WIDTH		
39"	39 1/4"	
49 7/8"	50"	


AVAILABLE MATERIAL	
ALUMINUM	STEEL
.032"	24 GAUGE
	26 GAUGE

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - CURVED PATTERN "F" PANELS



NOMINAL DIMENSIONS	
LAPPED WIDTH	PANEL WIDTH
40 1/2"	41 5/8"
51"	52"

ALUMINUM / STEEL	
MAXIMUM LENGTH: 144"	


AVAILABLE MATERIAL		
ALUMINUM	STEEL	
.032"	22 GAUGE	
	24 GAUGE	
	26 GAUGE	

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"




WALLS / CLADDINGS CORRUGATED - PANELS - CURVED PATTERN "J" PANELS





WALLS / CLADDINGS CORRUGATED - PANELS -CURVED WALL SECTION





WALLS / CLADDINGS CORRUGATED - PANELS - CURVED TOP SECTION