





WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL ISOMETRIC VIEW



## AO - ALUMINUM / STEEL

MAXIMUM LENGTH: 120"



NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:


LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"

NOMINAL DIMENSIONS		
LAPPED WIDTH PANEL WIDTH		
40 3/4"	41 1/2"	
51 1/4"	52"	

AVAILABLE MATERIAL		
ALUMINUM STEEL		
.032"	24 GAUGE	
	26 GAUGE	



WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL PATTERN "A" PANELS



ALUMINUM / STEEL
MAXIMUM LENGTH: 120"

NOMINAL DIMENSIONS		
LAPPED WIDTH PANEL WIDTH		
42 3/4"	44 3/4"	
54 3/4"	55 3/4"	


AVAILABLE MATERIAL		
ALUMINUM STEEL		
.032"	22 GAUGE	
	24 GAUGE	
	26 GAUGE	

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL PATTERN "B" PANELS



NOMINAL DIMENSIONS		
LAPPED WIDTH PANEL WIDTH		
40 3/8"	42"	
51 5/8"	52 3/4"	

## **ALUMINUM**

.032" ALUMINUM MAXIMUM LENGTH: 144" .063" ALUMINUM MAXIMUM LENGTH: 120"

## STEEL

MAXIMUM LENGTH: 144"


AVAILABLE MATERIAL		
ALUMINUM STEEL		
.032"	22 GAUGE	
.063"	24 GAUGE	
	26 GAUGE	

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL PATTERN "C" PANELS



NOMINAL DIMENSIONS		
LAPPED WIDTH PANEL WIDTH		
47 1/2"	49 1/2"	
38 5/8"	39 1/2"	

AVAILABLE MATERIAL			
ALUMINUM STEEL			
.032"	22 GAUGE		
	24 GAUGE		
	26 GAUGE		


NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

ALUMINUM / STEEL
MAXIMUM LENGTH: 120"

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"




WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL PATTERN "D" PANEL



NOMINAL DIMENSIONS LAPPED WIDTH PANEL WIDTH 53 3/4" 54 3/4"

C	- ALI	/ MUNIML	STEEL
		*****	400"



MAXIMUM LENGTH: 120"


AVAILABLE MATERIAL		
ALUMINUM STEEL		
.032"	24 GAUGE	
	26 GAUGE	

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL PATTERN "E" PANELS



NOMINAL DIMENSIONS		
LAPPED WIDTH PANEL WIDTH		
39"	39 1/4"	
49 7/8"	50"	

AVAILABLE MATERIAL	
ALUMINUM	STEEL
.032"	24 GAUGE
	26 GAUGE


## ALUMINUM / STEEL MAXIMUM LENGTH: 144"

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"



WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL PATTERN "F" PANELS



NOMINAL DIMENSIONS		
LAPPED WIDTH	PANEL WIDTH	
40 1/2"	41 5/8"	
51"	52"	

ALUMINUM / STEE	
MAXIMUM LENGTH	144"


AVAILABLE MATERIAL		
ALUMINUM	STEEL	
.032"	22 GAUGE	
	24 GAUGE	
	26 GAUGE	

NOTE: ALL DIMENSIONS ARE NOMINAL AND WILL VARY WITH DIFFERENT THICKNESSES AND TYPES OF MATERIAL. STANDARD FACTORY TOLERANCES:

LENGTH: ± 5/32" WIDTH: ± 3/16" DIAGONAL: ± 3/16"




WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL PATTERN "J" PANELS





WALLS / CLADDINGS CORRUGATED - PANELS -VERTICAL WALL SECTION





WALLS / CLADDINGS CORRUGATED - PANELS - VERTICAL TOP SECTION